







Prüfbericht-Nr.: <i>Test report no.:</i>	15034892 031	Auftrags-Nr.: <i>Order no.:</i>	244318947	Seite 1 von 1 Page 1 of 1
Kunden-Referenz-Nr.: <i>Client reference no.:</i>	2108291	Auftragsdatum: <i>Order date:</i>	2021-03-19	
Auftraggeber: <i>Client:</i>	ZHEJIANG ZHUORUN ELECTRIC APPLIANCE CO., LTD. SHANGSHE VILLAGE, XINPU TOWN, CIXI CITY, Zhejiang, P.R. China			
Prüfgegenstand: <i>Test item:</i>	Electric Fan			
Bezeichnung / Typ-Nr.: <i>Identification / Type no.:</i>	Refer to CDF			
Auftrags-Inhalt: <i>Order content:</i>	GS approval			
Prüfgrundlage: <i>Test specification:</i>	EN 60335-1:2012+A11+A13+A1+A14+A2 EN 60335-2-80:2003+A1+A2 EN 62233:2008 AfPS GS 2019:01 PAK EK1 527-12 Rev.2			
Wareneingangsdatum: <i>Date of sample receipt:</i>	2021-03-26			
Prüfmuster-Nr.: <i>Test sample no.:</i>	A003023210			
Prüfzeitraum: <i>Testing period:</i>	2021-04-02			
Ort der Prüfung: <i>Place of testing:</i>	TÜV Rheinland (Shanghai) Co., Ltd.			
Prüflaboratorium: <i>Testing laboratory:</i>	TÜV Rheinland (Shanghai) Co., Ltd.			
Prüfergebnis*: <i>Test result*:</i>	Pass			
geprüft von: <i>tested by:</i> Vivien Le	genehmigt von: <i>authorized by:</i> Yi Zhuangcheng			
Datum: <i>Date:</i> 2021-04-07			Ausstellungsdatum: <i>Issue date:</i> 2021-04-07	
Stellung / Position:	PE	Stellung / Position:	TC	
Sonstiges / <i>Other:</i>	This report is based on 15034892 001 to 030, created for 5 years of expiry, sample verification found the construction and components are same as before, no additional test deemed necessary. Foreseeable use was considered. The risk has been covered by the applied standards and EK Decisions. Material same as before, re-assessment of PAHs risk deemed no necessary. Attachment 1: 2 PfG 2516 report (5 pages) Attachment 2: Components list (17 pages)			
Zustand des Prüfgegenstandes bei Anlieferung: <i>Condition of the test item at delivery:</i>	Prüfmuster vollständig und unbeschädigt <i>Test item complete and undamaged</i>			
* Legende:	P(ass) = entspricht o.g. Prüfgrundlage(n)	F(ail) = entspricht nicht o.g. Prüfgrundlage(n)	N/A = nicht anwendbar	N/T = nicht getestet
* Legend:	P(ass) = passed a.m. test specification(s)	F(ail) = failed a.m. test specification(s)	N/A = not applicable	N/T = not tested
<p>Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens. <i>This test report only relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.</i></p>				

Prüfbericht-Nr.: <i>Test Report No.:</i>	Attachment 1 of 15034892 031	Auftrags-Nr.: <i>Order No.:</i>	244318947	Seite 1 von 5 Page 1 of 5	
Kunden-Referenz-Nr.: <i>Client Reference No.:</i>	2108291	Auftragsdatum: <i>Order date:</i>	2021-03-19		
Auftraggeber: <i>Client:</i>	ZHEJIANG ZHUORUN ELECTRIC APPLIANCE CO., LTD. SHANGSHE VILLAGE, XINPU TOWN, CIXI CITY, Zhejiang, P.R. China.				
Prüfgegenstand: <i>Test item:</i>	Electric Fan				
Bezeichnung / Typ-Nr.: <i>Identification / Type No.:</i>	FS-40B-1				
Auftrags-Inhalt: <i>Order content:</i>	Type examination				
Prüfgrundlage: <i>Test specification:</i>	2 PFG 2516:2014-11 Checkliste für die Warenkontrollprüfung Checklist for the Product Control Test				
Wareneingangsdatum: <i>Date of receipt:</i>	2021-03-26				
Prüfmuster-Nr.: <i>Test sample No.:</i>	A003023210				
Prüfzeitraum: <i>Testing period:</i>	2021-04-02				
Ort der Prüfung: <i>Place of testing:</i>	TÜV Rheinland (Shanghai) Co., Ltd.				
Prüflaboratorium: <i>Testing laboratory:</i>	TÜV Rheinland (Shanghai) Co., Ltd.				
Prüfergebnis*: <i>Test result*:</i>	Pass				
geprüft von / tested by: 2021-04-07 Vivien Le/PE 		kontrolliert von / reviewed by: 2021-04-07 Yi Zhuangcheng/TC 			
Datum <i>Date</i>	Name / Stellung <i>Name / Position</i>	Unterschrift <i>Signature</i>	Datum <i>Date</i>	Name / Stellung <i>Name / Position</i>	Unterschrift <i>Signature</i>
Sonstiges / Other: This report is based on 15034892 001 to 030. Sample verification found the construction and components are same as before, and no additional tests need to be done. Standard requirement: EN 60335-1:2012+A11+A13+A14+A2, EN 60335-2-80:2003+A1+A2.					
Zustand des Prüfgegenstandes bei Anlieferung: <i>Condition of the test item at delivery:</i>		Prüfmuster vollständig und unbeschädigt <i>Test item complete and undamaged</i>			
<p>Legende: 1 = sehr gut 2 = gut 3 = befriedigend 4 = ausreichend 5 = mangelhaft P(ass) = entspricht o.g. Prüfgrundlage(n) F(ail) = entspricht nicht o.g. Prüfgrundlage(n) N/A = nicht anwendbar N/T = nicht getestet</p> <p>Legend: 1 = very good 2 = good 3 = satisfactory 4 = sufficient 5 = poor P(ass) = passed a.m. test specification(s) F(ail) = failed a.m. test specification(s) N/A = not applicable N/T = not tested</p>					
<p>Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens. <i>This test report only relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.</i></p>					

Prüfbericht-Nr.: Attachment 1 of 15034892 031
Test Report No.:

Seite 2 von 5
Page 2 of 5

Produktbeschreibung
Product description

1	Zertifikatsnummer <i>Certificate number</i>	S 50500080
2	Produkt <i>Product</i>	Electric Fan
3	Produziert am <i>Manufactured at</i>	NINGBO ZHUORUN ELECTRIC APPLIANCE CO., LTD. SHANGSHE VILLAGE, XINPU TOWN, CIXI CITY, Zhejiang, P.R. China
4	Fertigungsstättennummer <i>Factory number</i>	2028261

Prüfbericht-Nr.: Attachment 1 of 15034892 031			Seite 3 von 5 Page 3 of 5	
Absatz	2 PfG 2516:2014-11	Messergebnisse - Bemerkungen	Bewertung	
Clause	Anforderungen - Prüfungen / Requirements - Tests	Measuring results - Remarks	Evaluation	
1	Produkt Product			
	Äußere Erscheinung des Musters stimmt mit der Fotodokumentation überein. <i>Outer appearance of the drawn sample is same as in photo documentation.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>	
	Interner Aufbau stimmt mit der Fotodokumentation überein. <i>Internal construction of the drawn sample is same as in photo documentation.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>	
	Es wurden nur sicherheitsrelevanten Komponenten verbaut, die CDF oder Prüfbericht benannt sind. <i>Only safety relevant components as described in CDF or Test Report have been used in the drawn sample.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>	
2	Typenschild Label			
	Das Typenschild entspricht dem zertifizierten. <i>The label is same as the certified one.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>	
	Der Ausweisinhaber, Importeur oder Bevollmächtigte ist auf dem Typenschild benannt. <i>The license holder, importer or authorized representative is displayed in the label.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>	
	Die Adresse (bei GS zwingend eine aus dem EWR) ist auf dem Typenschild benannt. <i>Complete postal address (for GS it must be a European address) is mentioned in the label.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>	
	Bei Fail: in Bedienungsanleitung angegeben <i>If fail: in the user manual</i>			
	Bei Fail: auf der Verpackung angegeben <i>if fail: on packaging</i>			
	Wenn eine CE Markierung notwendig ist, wurde diese auf dem Typenschild in dem richtigen Layout abgebildet. <i>If CE marking is mandatory, it's on the product and apparently complies with the design restrictions.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>	
	Wenn ein TÜV Rheinland Zeichen abgebildet ist, entspricht dies den Vorgaben. <i>In event a TUV Mark is displayed it complies with the design restrictions.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>	

Prüfbericht-Nr.: Attachment 1 of 15034892 031			Seite 4 von 5 Page 4 of 5
Absatz	2 PfG 2516:2014-11	Messergebnisse - Bemerkungen	Bewertung
Clause	Anforderungen - Prüfungen / Requirements - Tests	Measuring results - Remarks	Evaluation

3	Bedienungs-, Installations-, Aufbauanleitung User Manual, Installation - / Assembly Manual		
	Liegt in der richtigen Sprache vor, bei GS zwingend in deutscher Sprache, und entspricht dem zertifizierten. <i>Is available in the correct language (German version a must for GS) and the same as certified one.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>
	Wenn ein TÜV Rheinland Zeichen abgebildet ist, entspricht dies den Vorgaben. <i>In event a TUV Mark is displayed it complies with the design restrictions.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>
	Wenn eine Herstelleradresse angegeben ist, wurde diese komplett (bei GS zwingend eine Adresse im EWR) angegeben und stimmt mit der vom Typen-schild überein. <i>If the license holder and/or importer, authorized representative is displayed with address, it's complete (for GS it must be a European address) and correlates with the information on the rating label.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>
	Wenn die Serviceadresse von der vom Hersteller, Importeur oder Bevollmächtigten abweicht, ist das akzeptabel. <i>If the address for service inquiries differs from manufacturer's, importer's or authorized representative's, it's acceptable.</i>		P <input checked="" type="checkbox"/> F <input type="checkbox"/> N/A <input type="checkbox"/> N/T <input type="checkbox"/>
4	Verpackung Packaging/Gift box		
	Wenn ein TÜV Rheinland Zeichen abgebildet ist, entspricht dies den Vorgaben. <i>In event a TUV Mark is displayed it complies with the design restrictions.</i>	Packing not provided	P <input type="checkbox"/> F <input type="checkbox"/> N/A <input checked="" type="checkbox"/> N/T <input type="checkbox"/>
	Der Ausweisinhaber, Importeur und/oder Bevollmächtigte ist mit auf der Verpackung benannt. <i>The license holder, importer and/or authorized representative are displayed with complete address on the packaging.</i>		P <input type="checkbox"/> F <input type="checkbox"/> N/A <input checked="" type="checkbox"/> N/T <input type="checkbox"/>
	Auf der Verpackung wird das Produkt nicht anders beworben als es die Zertifizierung beschreibt. Z.B. Kinder werden mit der Verpackung explizit angesprochen und aus dem Zertifikat geht hervor, dass es kein Spielzeug ist. <i>Packaging does not imply another use as certified. E.g. the package explicitly addresses but the certificate excludes use by children.</i>		P <input type="checkbox"/> F <input type="checkbox"/> N/A <input checked="" type="checkbox"/> N/T <input type="checkbox"/>

ANLAGE zum Prüfbericht-Nr.: Attachment 1 of 15034892 031
APPENDIX to Test Report No.:

Seite 5 von 5
Page 5 of 5

ZUSATZ-DOKUMENTATION
ADDITIONAL DOCUMENTATION

Nachweise für die in der Checkliste benannten Punkte:
Evidences found during Product Verification Test:



Constructional Data Form (CDF) for Electrical Appliances	Page 1 of 17
---	--------------

License holder	: ZHEJIANG ZHUORUN ELECTRIC APPLIANCE CO., LTD.
Manufacturer	Same as license holder
Type of Appliance	: Electric Fan
Type Designation	: See table A
Rating	: See table A
Protection Class	: Class II
Supply connection	: <input checked="" type="checkbox"/> fixed power cord <input type="checkbox"/> permanent connection <input type="checkbox"/> appliance inlet <input type="checkbox"/> direct plug in <input type="checkbox"/> battery operated
Please tick above box <input checked="" type="checkbox"/> when applicable	

Additional information :
 Ambient temp: 25°C

KB time: N/A; continuous operation

Main body enclosure: ABS, motor case: PP.

IPX0

Table A:					
Model	Support type	With electronic circuits	With infrared remote control	Input Voltage (V)	Rated Input (W)
FS-40B-1; FS-40-1; FS-40B-3; FS-40B-2; CX-FS-40B; FS-40B-4; FS-40B-8; FS-40B-1A; FS-40B-1B; FS-40-1A; FS-40-1B; FS-40B-3A; FS-40B-3B; FS-40B-2A; FS-40B-2B; CX-FS-40BA; CX-FS-40BB; FS-40B-4A; FS-40B-4B; FS-40B-8A; FS-40B-8B	Pedestal fan	No	No	220-240V; 50Hz	45
FT-40T-4; FT-30-1; FT-40-1; FT-30-1B; FT-40B-4A; FT-30-1A	Table fan	No	No	220-240V; 50Hz	45
FT-25	Table fan	No	No	220-240V; 50Hz	38
FT-15	Table fan	No	No	220-240V; 50Hz	16
FT-15A	Table and clip-mount fan	No	No	220-240V; 50Hz	16

TÜV Rheinland LGA Products GmbH

2021-04-07

Vivien Le

Date

Name

Signature

Constructional Data Form (CDF) for Electrical Appliances	Page 2 of 17
---	--------------

CX-FS-40I; CX-FS-40H; CX-FS-40G; FS-40B-5Y; CX-FS-40IA; CX-FS-40IB; CX- FS-40HA; CX-FS-40HB; CX- FS-40GA; CX-FS-40GB; FS- 40B-5YA; FS-40B-5YB	Pedestal fan	Yes	Yes	220-240V; 50Hz	45
FS-40B-5; FS-40B-5A; FS-40B-5B	Pedestal fan	No	No	220-240V; 50Hz	45

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
For models: FS-40B-1; FT-40T-4; FT-30-1; FS-40B-8; FS-40B-1A; FS-40B-1B; FS-40B-8A; FS-40B-8B					
Power plug	Zhejiang JinTing Nuclear Cable Co.,Ltd	JT007	AC250V; 2,5A	DIN VDE 0620	VDE 40050926
	Ningbo Liansheng Wire&Cable Co.,Ltd	LS01	AC250V; 2,5A	DIN VDE 0620	VDE 40034285
(For Italian market only)	Ningbo Qiaopu Eletric Co., Ltd.	D07	AC250V; 10A	CEI 23-50 - II Ed. 2007 + V1:2008 + V2:2011	IMQ CA02.01118
Power cord	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40013419
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40022054
Close-end connector	Heavy Power Co., Ltd.	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
	JIANGXI GAOCHAO INDUSTRIAL CO LTD	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
Internal Wire	Cixi Haosheng Wire & Cable Co., Ltd	H05S-K H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40020128
	Ningbo Nissei Electric Co., Ltd.	H05S-K/ H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40022880
	Cixi Haosheng Wire & Cable Co., Ltd	H05V-K	1X0,5mm ²	EN 50525-2-31	VDE 40021089+ Tested with appliance
Push button switch	Zhongshan Yonglian Electrical Appliance Manufactory	KQ-184C	AC250V; 1(1)A; T85; 1E4	EN 61058-1	TÜV R 9757121

TÜV Rheinland LGA Products GmbH

2021-04-07

Vivien Le



Date

Name

Signature

Constructional Data Form (CDF) for Electrical Appliances	Page 4 of 17
---	--------------

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
	Zhongshan Xiaolan Yongjiang Plastic Electrical Plant	KQ-4	AC250V; 1(1)A; T55; 1E4	EN 61058-1	TÜV R 50052866
	Cixi City BiLiSha Electric Appliance Factory	BLS01	AC250V; 10(1)A; T55; 1E4	EN 61058-1	TÜV R 50329801
	Zhongshan yaosheng electric manufacturing Co., Ltd.	KQ-184C	AC250V; 1(1)A; T55; 1E4	EN 60335-1 EN 61058-1	Tested with appliance
	Zhongshan yaosheng electric manufacturing Co., Ltd.	KQ-165C	AC250V; 1(1)A; T55; 1E4	EN 61058-1	TÜV R 50352500
Motor running capacitor	Foshan Shunde Beijiao Hua Da Electric Industrial Co., Ltd.	CBB6-1	AC450V; 1,2µF; 40/70/21; P2	EN 60252-1	TÜV R 50033889
Fan motor	Foshan City Nanhai Borough Electric Appliance Industry Co., Ltd.	YSY	AC 220-240V; Class 120 (E); Main winding: 858Ω(high setting); 996Ω (middle setting); 1137Ω (low setting); Auxiliary winding: 1660Ω (19,0°C)	EN 60335-1 EN 60335-2-80	Tested with appliance
Thermal link in fan motor	Dongguan Wancheng Fuse Co. Ltd.	L3	250V, 2A, Tf: 130 °C or 145 °C	EN 60691	VDE 40019590
	Ningbo Jiangbei Dongzhen Electrical Appliance Factory	RF2	250V, 2A, Tf: 130 °C	EN 60691	VDE 50030469
Motor case	Manufacturecl in Thallarnd by HMC Poly Mers Con Pony Ltd	PP	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Enclosures	Zhen Jiang Chimei Chemical Co., Ltd.	ABS	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
For models: FS-40-1; FT-40-1; FT-30-1B; FS-40-1A; FS-40-1B					
Power plug	Zhejiang JinTing Nuclear Cable Co.,Ltd	JT007	AC250V; 2,5A	DIN VDE 0620	VDE 40050926
	Ningbo Liansheng Wire&Cable Co.,Ltd	LS01	AC250V; 2,5A	DIN VDE 0620	VDE 40034285
(For Italian market only)	Ningbo Qiaopu Eletric Co., Ltd.	D07	AC250V; 10A	CEI 23-50 - II Ed. 2007 + V1:2008 + V2:2011	IMQ CA02.0111 8

TÜV Rheinland LGA Products GmbH

2021-04-07

Vivien Le

Date

Name

Signature

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
Power cord	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40013419
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40022054
Close-end connector	Heavy Power Co., Ltd.	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
	JIANGXI GAOCHAO INDUSTRIAL CO LTD	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
Internal Wire	Cixi Haosheng Wire & Cable Co., Ltd	H05S-K H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40020128
	Ningbo Nissei Electric Co., Ltd.	H05S-K/ H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40022880
	Cixi Haosheng Wire & Cable Co., Ltd	H05V-K	1X0,5mm ²	EN 50525-2-31	VDE 40021089+ Tested with appliance
Rotary switch	Zhongshan Xiaolan Yongjiang Plastic Electrical Plant	GAS-5A	AC250V; 1(1)A; T65; 1E4	EN 61058-1	TÜV R 50154548
Motor running capacitor	Foshan Shunde Beijiao Hua Da Electric Industrial Co., Ltd.	CBB6-1	AC450V; 1,2µF; 40/70/21; P2	EN 60252-1	TÜV R 50033889
Fan motor	Foshan City Nanhai Borough Electric Appliance Industry Co., Ltd.	YSY	AC 220-240V; Class 120 (E) Main winding: 862Ω(high setting); 1001Ω (middle setting); 1140Ω (low setting); Auxiliary winding: 1665Ω (24,0°C)	EN 60335-1 EN 60335-2-80	Tested with appliance

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
Thermal link in fan motor	Dongguan Wancheng Fuse Co. Ltd.	L3	250V, 2A, Tf: 130 °C or 145 °C	EN 60691	VDE 40019590
	Ningbo Jiangbei Dongzhen Electrical Appliance Factory	RF2	250V, 2A, Tf: 130 °C	EN 60691	VDE 50030469
Motor case	Manufactured in Thailand by HMC Poly Mers Con Pony Ltd	PP	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Enclosures	Zhen Jiang Chimei Chemical Co., Ltd.	ABS	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
For model: FT-25					
(For Italian market only)	Zhejiang JinTing Nuclear Cable Co.,Ltd	JT007	AC250V; 2,5A	DIN VDE 0620	VDE 40050926
	Ningbo Liansheng Wire&Cable Co.,Ltd	LS01	AC250V; 2,5A	DIN VDE 0620	VDE 40034285
Power cord	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40013419
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40022054
Close-end connector	Heavy Power Co., Ltd.	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
	JIANGXI GAOCHAO INDUSTRIAL CO LTD	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
Internal Wire	Cixi Haosheng Wire & Cable Co., Ltd	H05S-K H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40020128
	Ningbo Nissei Electric Co., Ltd.	H05S-K/ H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40022880

Constructional Data Form (CDF) for Electrical Appliances	Page 7 of 17
---	--------------

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
	Cixi Haosheng Wire & Cable Co., Ltd	H05V-K	1X0,5mm ²	EN 50525-2-31	VDE 40021089+ Tested with appliance
Push button switch	Zhongshan Yonglian Electrical Appliance Manufactory	KQ-183C	AC250V; 1(1)A; T85; 1E4	EN 61058-1	TÜV R 9757121
	Zhongshan Yonglian Electrical Appliance Manufactory	KQ-153C	AC250V; 1(1)A; T85; 1E4	EN 61058-1	TÜV R 9757121
	Zhongshan Xiaolan Yongjiang Plastic Electrical Plant	KQ-3	AC250V; 1(1)A; T55; 1E4	EN 61058-1	TÜV R 50052866
	Cixi City BiLiSha Electric Appliance Factory	BLS01	AC250V; 10(1)A; T55; 1E4	EN 61058-1	TÜV R 50329801
	Zhongshan yaosheng electric manufacturing Co., Ltd.	KQ-184C	AC250V; 1(1)A; T55; 1E4	EN 60335-1 EN 61058-1	Tested with appliance
	Zhongshan yaosheng electric manufacturing Co., Ltd.	KQ-165C	AC250V; 1(1)A; T55; 1E4	EN 61058-1	TÜV R 50352500
Motor running capacitor	Foshan Shunde Beijiao Hua Da Electric Industrial Co., Ltd.	CBB6-1	AC450V; 1,0µF; 40/70/21; P2	EN 60252-1	TÜV R 50033889
Fan motor	Foshan city nanhai Borough Electric Appliance Industry Co., Ltd.	YSY	AC 220-240V; Class 120 (E); main winding: 886Ω(high setting); 768Ω (low setting); Auxiliary winding:390Ω (21,0°C)	EN 60335-1 EN 60335-2-80	Tested with appliance
Thermal link in fan motor	Dongguan Wancheng Fuse Co. Ltd.	L3	250V, 2A, Tf: 130 °C or 145 °C	EN 60691	VDE 40019590
	Ningbo Jiangbei Dongzhen Electrical Appliance Factory	RF2	250V, 2A, Tf: 130 °C	EN 60691	VDE 50030469
Silicon rubber coated sleeving	NINGBO CAIXING ELECTRIC APPLIANCE FACTORY	PC	0,5mm	EN 60335-1 EN 60335-2-80	Tested with appliance

TÜV Rheinland LGA Products GmbH

2021-04-07

Vivien Le



Date

Name

Signature

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
Motor case	Manufactured in Thailand by HMC Poly Mers Con Pony Ltd	PP	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Enclosures	Zhen Jiang Chimei Chemical Co., Ltd.	ABS	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance

For models: FT-15; FT-15A

Power plug	Zhejiang JinTing Nuclear Cable Co.,Ltd	JT007	AC250V; 2,5A	DIN VDE 0620	VDE 40050926
	Ningbo Liansheng Wire&Cable Co.,Ltd	LS01	AC250V; 2,5A	DIN VDE 0620	VDE 40034285
(For Italian market only)	Ningbo Qiaopu Electric Co., Ltd.	D07	AC250V; 10A	CEI 23-50 - II Ed. 2007 + V1:2008 + V2:2011	IMQ CA02.01118
Power cord	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40013419
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40022054
Close-end connector	Heavy Power Co., Ltd.	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
	JIANGXI GAOCHAO INDUSTRIAL CO LTD	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
Internal Wire	Cixi Haosheng Wire & Cable Co., Ltd	H05S-K H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40020128
	Ningbo Nissei Electric Co., Ltd.	H05S-K/ H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40022880
	Cixi Haosheng Wire & Cable Co., Ltd	H05V-K	1X0,5mm ²	EN 50525-2-31	VDE 40021089+ Tested with appliance

TÜV Rheinland LGA Products GmbH

2021-04-07

Vivien Le



Date

Name

Signature

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
Switch	Zhongshan Tender Electric Appliance Co., Ltd.	KT12A	AC250V; 1,5A; T55; 1E4	EN 61058-1	TÜV R 50016142
Fan motor	Cixi Yixiong Motor Factory	YJF48-12	AC 220-240V; Class 120 (E); 406Ω (22,0°C)	EN 60335-1 EN 60335-2-80	Tested with appliance
Motor case	Manufactured in Thailand by HMC Poly Mers Con Pony Ltd	PP	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Enclosures	Zhen Jiang Chimei Chemical Co., Ltd.	ABS	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
For models: FS-40B-3; FS-40B-2; FT-40B-4A; FT-30-1A; FS-40B-3A; FS-40B-3B; FS-40B-2A; FS-40B-2B					
Power plug	Zhejiang JinTing Nuclear Cable Co.,Ltd	JT007	AC250V; 2,5A	DIN VDE 0620	VDE 40050926
	Ningbo Liansheng Wire&Cable Co.,Ltd	LS01	AC250V; 2,5A	DIN VDE 0620	VDE 40034285
(For Italian market only)	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
Power cord	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40013419
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40022054
Close-end connector	Heavy Power Co., Ltd.	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
	JIANGXI GAOCHAO INDUSTRIAL CO LTD	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
Internal Wire	Cixi Haosheng Wire & Cable Co., Ltd	H05S-K H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40020128
	Ningbo Nissei Electric Co., Ltd.	H05S-K/ H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40022880

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
	Cixi Haosheng Wire & Cable Co., Ltd	H05V-K	1X0,5mm ²	EN 50525-2-31	VDE 40021089+ Tested with appliance
Push button switch	Zhongshan Yonglian Electrical Appliance Manufactory	KQ-184C	AC250V; 1(1)A; T85; 1E4	EN 61058-1	TÜV R 9757121
	Zhongshan Xiaolan Yongjiang Plastic Electrical Plant	KQ-4	AC250V; 1(1)A; T55; 1E4	EN 61058-1	TÜV R 50052866
	Cixi City BiLiSha Electric Appliance Factory	BLS01	AC250V; 10(1)A; T55; 1E4	EN 61058-1	TÜV R 50329801
	Zhongshan yaosheng electric manufacturing Co., Ltd.	KQ-184C	AC250V; 1(1)A; T55; 1E4	EN 60335-1 EN 61058-1	Tested with appliance
	Zhongshan yaosheng electric manufacturing Co., Ltd.	KQ-165C	AC250V; 1(1)A; T55; 1E4	EN 61058-1	TÜV R 50352500
Motor running capacitor	Shunde Dahua Electric Co., Ltd.	CBB6-1	AC450V; 1,2µF; 40/70/21; P2	EN 60252-1	TÜV R 50033889
Fan motor	Foshan city nanhai Borough Electric Appliance Industry Co., Ltd.	YSY	220-240V; Class 120 (E); Main winding: 731Ω(high setting); auxiliary winding: 479Ω (25,0°C)	EN 60335-1 EN 60335-2-80	Tested with appliance
Thermal link in fan motor	Foshan Shunde Beijiao Hua Da Electric Industrial Co., Ltd.	L3	250V, 2A, Tf: 130 °C	EN 60691	VDE 40019590
	Ningbo Jiangbei Dongzhen Electrical Appliance Factory	RF2	250V, 2A, Tf: 130 °C	EN 60691	VDE 50030469
Silicon rubber coated sleeving	NINGBO CAIXING ELECTRIC APPLIANCE FACTORY	PC	0,5mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Motor case	Manufacturecl in Thallarnd by HMC Poly Mers Con Pony Ltd	PP	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Enclosures	Zhen Jiang Chimei Chemical Co., Ltd.	ABS	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance

TÜV Rheinland LGA Products GmbH

2021-04-07

Vivien Le

Date

Name

Signature

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
For models: CX-FS-40B; FS-40B-4; CX-FS-40BA; FS-40B-4A; CX-FS-40BB; FS-40B-4B					
Power plug	Zhejiang JinTing Nuclear Cable Co.,Ltd	JT007	AC250V; 2,5A	DIN VDE 0620	VDE 40050926
	Ningbo Liansheng Wire&Cable Co.,Ltd	LS01	AC250V; 2,5A	DIN VDE 0620	VDE 40034285
(For Italian market only)	Ningbo Qiaopu Eletric Co., Ltd.	D07	AC250V; 10A	CEI 23-50 - II Ed. 2007 + V1:2008 + V2:2011	IMQ CA02.01118
Power cord	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40013419
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40022054
Close-end connector	Heavy Power Co., Ltd.	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
	JIANGXI GAOCHAO INDUSTRIAL CO LTD	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
Internal Wire	Cixi Haosheng Wire & Cable Co., Ltd	H05S-K H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40020128
	Ningbo Nissei Electric Co., Ltd.	H05S-K/ H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40022880
	Cixi Haosheng Wire & Cable Co., Ltd	H05V-K	1X0,5mm ²	EN 50525-2-31	VDE 40021089+ Tested with appliance
Push button switch	Zhongshan Yonglian Electrical Appliance Manufactory	KQ-184C	AC250V; 1(1)A; T85; 1E4	EN 61058-1	TÜV R 9757121
	Zhongshan Xiaolan Yongjiang Plastic Electrical Plant	KQ-4	AC250V; 1(1)A; T55; 1E4	EN 61058-1	TÜV R 50052866

TÜV Rheinland LGA Products GmbH

2021-04-07


Vivien Le



Date

Name

Signature

Produktsicherheit und –qualität <i>Product Safety and Quality</i>	Attachment 2 of 15034892 031	 TÜVRheinland®
---	-------------------------------------	--

Certificate No. S 50500080 0001-0002	Our Reference 01-LXY- 15034892 031	Appendix No. 1
---	---	-----------------------

Constructional Data Form (CDF) for Electrical Appliances	Page 12 of 17
---	---------------

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
	Cixi City BiLiSha Electric Appliance Factory	BLS01	AC250V; 10(1)A; T55; 1E4	EN 61058-1	TÜV R 50329801
	Zhongshan yaosheng electric manufacturing Co., Ltd.	KQ-184C	AC250V; 1(1)A; T55; 1E4	EN 60335-1 EN 61058-1	Tested with appliance
	Zhongshan yaosheng electric manufacturing Co., Ltd.	KQ-165C	AC250V; 1(1)A; T55; 1E4	EN 61058-1	TÜV R 50352500
Motor running capacitor	Shunde Dahua Electric Co., Ltd.	CBB6-1	AC450V; 1,2µF; 40/70/21; P2	EN 60252-1	TÜV R 50033889
Fan motor	Foshan city nanhai Borough Electric Appliance Industry Co., Ltd.	YSY	220-240V; Class 120 (E); Main winding: 731Ω(high setting); auxiliary winding: 479Ω (25,0°C),	EN 60335-1 EN 60335-2-80	Tested with appliance
Thermal link in fan motor	Foshan Shunde Beijiao Hua Da Electric Industrial Co., Ltd.	L3	250V, 2A, Tf: 130 °C	EN 60691	VDE 40019590
	Ningbo Jiangbei Dongzhen Electrical Appliance Factory	RF2	250V, 2A, Tf: 130 °C	EN 60691	VDE 50030469
Silicon rubber coated sleeving	NINGBO CAIXING ELECTRIC APPLIANCE FACTORY	PC	0,5mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Motor case	Manufacturecl in Thallarnd by HMC Poly Mers Con Pony Ltd	PP	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Enclosures	Zhen Jiang Chimei Chemical Co., Ltd.	ABS	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
For models: CX-FS-40I; CX-FS-40H; CX-FS-40G; FS-40B-5Y; CX-FS-40IA; CX-FS-40IB; CX-FS-40HA; CX-FS-40HB; CX-FS-40GA; CX-FS-40GB; FS-40B-5YA; FS-40B-5YB					
Power plug	Zhejiang JinTing Nuclear Cable Co.,Ltd	JT007	AC250V; 2,5A	DIN VDE 0620	VDE 40050926
	Ningbo Liansheng Wire&Cable Co.,Ltd	LS01	AC250V; 2,5A	DIN VDE 0620	VDE 40034285
(For Italian market only)	Ningbo Qiaopu Eletric Co., Ltd.	D07	AC250V; 10A	CEI 23-50 - II Ed. 2007 + V1:2008 + V2:2011	IMQ CA02.0111 8

TÜV Rheinland LGA Products GmbH

2021-04-07

Vivien Le



Date

Name

Signature

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
Power cord	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40013419
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40022054
Close-end connector	Heavy Power Co., Ltd.	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
	JIANGXI GAOCHAO INDUSTRIAL CO LTD	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
Internal Wire	Cixi Haosheng Wire & Cable Co., Ltd	H05S-K H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40020128
	Ningbo Nissei Electric Co., Ltd.	H05S-K/ H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40022880
	Cixi Haosheng Wire & Cable Co., Ltd	H05V-K	1X0,5mm ²	EN 50525-2-31	VDE 40021089+ Tested with appliance
PCB base material	Shanghai Jinbao Electronics Co., Ltd.	ZD-90	Thickness: 1,4 mm	EN 60065 EN 60335-1 EN 60335-2-80	VDE 40032178 and tested with appliance
PCB assembly for CX-FS-40I, FS-40B-5Y CX-FS-40IA, FS-40B-5YA CX-FS-40IB, FS-40B-5YB	Ningbo Bi Feng Electronics Technology Co., Ltd.	CX-FS-1	AC220-240V; 50Hz	EN 60335-1 EN 60335-2-80	Tested with appliance

TÜV Rheinland LGA Products GmbH

2021-04-07

Vivien Le




Date

Name

Signature

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
PCB assembly for CX-FS-40G, CX-FS-40H, CX-FS-40GA, CX-FS-40HA, CX-FS-40GB, CX-FS-40HB	Ningbo Bi Feng Electronics Technology Co., Ltd.	CX-F22	AC220-240V; 50Hz	EN 60335-1 EN 60335-2-80	Tested with appliance
Fuse on PCB	Dongguan Andu Electronics Co., Ltd.	5G	AC250V; 1A	EN 60127-1 EN 60127-2	VDE 40037829
X2 capacitor 1,0uF (on PCB)	Shenzhen Su Rong Capacitors Co., Ltd.	MPX/MKP	AC280 V; 1,0uF; 40/100/21	EN 60384-14	VDE 40008924
X2 capacitor 0,1 uF (on PCB)	Shenzhen Su Rong Capacitors Co., Ltd.	MPX/MKP	AC280 V; 0,1uF; 40/100/21	EN 60384-14	VDE 40008924
Varistor	Guangdong Foshan Kestar Electronic Co., Ltd.	MYG10-471	AC470V; 25A; 40/85/4	IEC 61051-1 IEC 61051-2 IEC 61051-2-2	VDE 40005616
Triac (on PCB)	UNISONIC TECHNOLOGIES CO., LTD	MAC97A6	400V; 0,6A	EN 60335-1 EN 60335-2-80	Tested with appliance
Synchronous motor	CIXI Wangbo Electric Factory	49TDY	AC220-240V; 50Hz; Winding: 9,20 KΩ (23,1°C)	EN 60335-1 EN 60335-2-80	Tested with appliance
Motor running capacitor	Shunde Dahua Electric Co., Ltd.	CBB6-1	AC450V; 1,2μF; 40/70/21; P2	EN 60252-1	TÜV R 50033889
Fan motor	Foshan city nanhai Borough Electric Appliance Industry Co., Ltd.	66-B	220-240V; Class 120 (E); Main winding: 679Ω; Auxiliary winding: 84,7Ω + 86,0Ω + 312,5 Ω (23,1°C),	EN 60335-1 EN 60335-2-80	Tested with appliance
Thermal link in fan motor	Foshan Shunde Beijiao Hua Da Electric Industrial Co., Ltd.	L3	250V, 2A, Tf: 130 °C	EN 60691	VDE 40019590
	Ningbo Jiangbei Dongzhen Electrical Appliance Factory	RF2	250V, 2A, Tf: 130 °C	EN 60691	VDE 50030469

Produktsicherheit und –qualität <i>Product Safety and Quality</i>	Attachment 2 of 15034892 031	 TÜVRheinland®
---	-------------------------------------	--

Certificate No. S 50500080 0001-0002	Our Reference 01-LXY- 15034892 031	Appendix No. 1
---	---	-----------------------

Constructional Data Form (CDF) for Electrical Appliances	Page 15 of 17
---	---------------

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
Insulation sleeving for wires to motor case	NINGBO CAIXING ELECTRIC APPLIANCE FACTORY	PVC	1mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Motor case	Manufactured in Thailand by HMC Poly Mers Con Pony Ltd	PP	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Enclosures	Zhen Jiang Chimei Chemical Co., Ltd.	ABS	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
For models: FS-40B-5; FS-40B-5A; FS-40B-5B;					
Power plug	Zhejiang JinTing Nuclear Cable Co.,Ltd	JT007	AC250V; 2,5A	DIN VDE 0620	VDE 40050926
	Ningbo Liansheng Wire&Cable Co.,Ltd	LS01	AC250V; 2,5A	DIN VDE 0620	VDE 40034285
(For Italian market only)	Ningbo Qiaopu Electric Co., Ltd.	D07	AC250V; 10A	CEI 23-50 - II Ed. 2007 + V1:2008 + V2:2011	IMQ CA02.0111 8
Power cord	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40013419
	Zhejiang JinTing Nuclear Cable Co.,Ltd	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40013419
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VVH2-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H03VV-F	2x0,5mm ² (<2m)	EN 50525-2-11	VDE 40022054
	Ningbo Liansheng Wire&Cable Co.,Ltd.	H05VV-F	2x0,75mm ²	EN 50525-2-11	VDE 40022054
Close-end connector	Heavy Power Co., Ltd.	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
	JIANGXI GAOCHAO INDUSTRIAL CO LTD	CE1; CE2; CE5	150°C; 300V	EN 60335-1 EN 60335-2-80	Tested with appliance
Internal Wire	Cixi Haosheng Wire & Cable Co., Ltd	H05S-K H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40020128

TÜV Rheinland LGA Products GmbH

2021-04-07

Vivien Le




Date

Name

Signature

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
	Ningbo Nissei Electric Co., Ltd.	H05S-K/ H05SJ-K	1X0,5mm ²	EN 50525-2-41	VDE 40022880
	Cixi Haosheng Wire & Cable Co., Ltd	H05V-K	1X0,5mm ²	EN 50525-2-31	VDE 40021089+ Tested with appliance
Timer	Ningbo Sijia Electric Appliance Co., Ltd.	DFJ-60-01	AC250V; 2,5A; T85; 1E4	EN 60730-1 EN 60730-2-7	VDE B16 08 45304 081
Push button switch	Zhongshan Yonglian Electrical Appliance Manufactory	KQ-184C	AC250V; 1(1)A; T85; 1E4	EN 61058-1	TÜV R 9757121
	Zhongshan Xiaolan Yongjiang Plastic Electrical Plant	KQ-4	AC250V; 1(1)A; T55; 1E4	EN 61058-1	TÜV R 50052866
	Cixi City BiLiSha Electric Appliance Factory	BLS01	AC250V; 10(1)A; T55; 1E4	EN 61058-1	TÜV R 50329801
	Zhongshan yaosheng electric manufacturing Co., Ltd.	KQ-184C	AC250V; 1(1)A; T55; 1E4	EN 60335-1 EN 61058-1	Tested with appliance
	Zhongshan yaosheng electric manufacturing Co., Ltd.	KQ-165C	AC250V; 1(1)A; T55; 1E4	EN 61058-1	TÜV R 50352500
Motor running capacitor	Shunde Dahua Electric Co., Ltd.	CBB6-1	AC450V; 1,2µF; 40/70/21; P2	EN 60252-1	TÜV R 50033889
Fan motor	Foshan city nanhai Borough Electric Appliance Industry Co., Ltd.	66-B	220-240V; Class 120 (E); Main winding: 679Ω; Auxiliary winding: 84,7Ω + 86,0Ω + 312,5 Ω (23,1°C),	EN 60335-1 EN 60335-2-80	Tested with appliance
Thermal link in fan motor	Foshan Shunde Beijiao Hua Da Electric Industrial Co., Ltd.	L3	250V, 2A, Tf: 130 °C	EN 60691	VDE 40019590
	Ningbo Jiangbei Dongzhen Electrical Appliance Factory	RF2	250V, 2A, Tf: 130 °C	EN 60691	VDE 50030469

Produktsicherheit und –qualität <i>Product Safety and Quality</i>	Attachment 2 of 15034892 031	 TÜVRheinland®
---	-------------------------------------	--

Certificate No. S 50500080 0001-0002	Our Reference 01-LXY- 15034892 031	Appendix No. 1
---	---	-----------------------

Constructional Data Form (CDF) for Electrical Appliances	Page 17 of 17
---	---------------

Critical Components					
Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc					
Components with winding: e.g. motor, transformer, magnetic coil etc.					
Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.					
Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
Insulation sleeving for wires to motor case	NINGBO CAIXING ELECTRIC APPLIANCE FACTORY	PVC	1mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Motor case	Manufactured in Thailand by HMC Poly Mers Con Pony Ltd	PP	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance
Enclosures	Zhen Jiang Chimei Chemical Co., Ltd.	ABS	Min thickness: 1,2mm	EN 60335-1 EN 60335-2-80	Tested with appliance

Remark:
All models weight less than 3kg.